

Standards Schema Old vs. New

Michael Pietrzak

Solutions Engineer

OLD TABLE Standards_Migration_Backup

- OLD Standards table, no longer used by the application
- Standards table was renamed
 Standards_Migration_Backup
- Standards table now viewable as Standards View
- Standard table has been created in its place



Old Table

STANDARDS (OLD TABLE, BEC	OMES VIEW)
DCID	NUMBER(10)
ID	NUMBER(10)
NAME	VARCHAR2(80)
DESCRIPTION	CLOB
LEVELVALUE	NUMBER(10)
ALIGNMENTIDENTIFIER	VARCHAR2(20)
IDENTIFIER	VARCHAR2(20)
CALCULATIONPARENT	VARCHAR2(20)
TYPE	NUMBER(10)
SORTORDER	NUMBER(10)
LISTPARENT	VARCHAR2(20)
COURSES	CLOB
SUBJECTAREA	VARCHAR2(40)
CONVERSIONSCALE	NUMBER(10)
ALLOWASSIGNMENTS	NUMBER(10)
INCLUDECOMMENT	NUMBER(10)
UNUSED1	NUMBER(10)
MAXCOMMENTLENGTH	NUMBER(10)
PSGUID	VARCHAR2(50)

Standards

- Legacy standards data
- Becomes a view
- Can still be accessed as a view

Old Table - Standards

STANDARDS (OLD TABLE, BECOMES VIEW)			
DCID	NUMBER(10)		
ID	NUMBER(10)		
NAME	VARCHAR2(80)		
DESCRIPTION	CLOB		
LEVELVALUE	NUMBER(10)		
ALIGNMENTIDENTIFIER	VARCHAR2(20)		
IDENTIFIER	VARCHAR2(20)		
CALCULATIONPARENT	VARCHAR2(20)		
TYPE	NUMBER(10)		
SORTORDER	NUMBER(10)		
LISTPARENT	VARCHAR2(20)		
COURSES	CLOB		
SUBJECTAREA	VARCHAR2(40)		
CONVERSIONSCALE	NUMBER(10)		
ALLOWASSIGNMENTS	NUMBER(10)		
INCLUDECOMMENT	NUMBER(10)		
UNUSED1	NUMBER(10)		
MAXCOMMENTLENGTH	NUMBER(10)		
PSGUID	VARCHAR2(50)		

New Table - Standard

STANDARD (New Table, Items Migrated From STANDARDS)			
STANDARDID	NUMBER(10)		
PARENTSTANDARDID	NUMBER(10)		
LONGITUDINALID	NUMBER(10)		
YEARID	NUMBER(10)		
NAME	VARCHAR2(400)		
DESCRIPTION	VARCHAR2(4000)		
IDENTIFIER	VARCHAR2(20)		
SUBJECTAREA	VARCHAR2(40)		
CONVERSIONSCALE	NUMBER(10)		
GRADESCALEITEMDCID	NUMBER(10)		
ISASSIGNMENTALLOWED	NUMBER(1)		
ISACTIVE	NUMBER(1)		
DEACTIVATEDATE	TIMESTAMP(6)		
DISPLAYPOSITION	NUMBER(10)		
ISCOMMENTINCLUDED	NUMBER(10)		
MAXCOMMENTLENGTH	NUMBER(10)		
ISEXCLUDEDFROMREPORTS	NUMBER(1)		
IMPORTBATCHTRACKING	VARCHAR2(30)		
PSGUID	VARCHAR2(50)		
WHOCREATED	VARCHAR2(100)		
WHENCREATED	TIMESTAMP(6)		
WHOMODIFIED	VARCHAR2(100)		
WHENMODIFIED	TIMESTAMP(6)		

Standard

- NEW data fields for standards
- Migrated from Standards Table
- Paving the way for future functionality

New Table - Standard

STANDARD (New Table, Items Migrated From STANDARDS)			
STANDARDID	NUMBER(10)		
PARENTSTANDARDID	NUMBER(10)		
LONGITUDINALID	NUMBER(10)		
YEARID	NUMBER(10)		
NAME	VARCHAR2(400)		
DESCRIPTION	VARCHAR2(4000)		
IDENTIFIER	VARCHAR2(20)		
SUBJECTAREA	VARCHAR2(40)		
CONVERSIONSCALE	NUMBER(10)		
GRADESCALEITEMDCID	NUMBER(10)		
ISASSIGNMENTALLOWED	NUMBER(1)		
ISACTIVE	NUMBER(1)		
DEACTIVATEDATE	TIMESTAMP(6)		
DISPLAYPOSITION	NUMBER(10)		
ISCOMMENTINCLUDED	NUMBER(10)		
MAXCOMMENTLENGTH	NUMBER(10)		
ISEXCLUDEDFROMREPORTS	NUMBER(1)		
IMPORTBATCHTRACKING	VARCHAR2(30)		
PSGUID	VARCHAR2(50)		
WHOCREATED	VARCHAR2(100)		
WHENCREATED	TIMESTAMP(6)		
WHOMODIFIED	VARCHAR2(100)		
WHENMODIFIED	TIMESTAMP(6)		



Old Table Definition

GRADESCALEITEM (OLD TABLE DEFINITION)		
DCID	NUMBER(10)	
ID	NUMBER(10)	
GRADESCALEID	NUMBER(10)	
NAME	VARCHAR2(50)	
DESCRIPTION	CLOB	
COUNTSINGPA	NUMBER(10)	
GRADUATIONCREDIT	NUMBER(10)	
TEACHERSCALE	NUMBER(10)	
CUTOFFPERCENTAGE	FLOAT(126)	
POWERLINK	VARCHAR2(40)	
POWERLINKSPANISH	VARCHAR2(40)	
GRADE_POINTS	FLOAT(126)	
VALUE	FLOAT(126)	
ADDEDVALUE	NUMBER(10)	
MODIFY_CODE	NUMBER(10)	
EXCLUDEFROMAFG	NUMBER(10)	
ALT_GRADE_POINTS	FLOAT(126)	
CUTOFFPOINTS	FLOAT(126)	
PSGUID	VARCHAR2(50)	
GRADE_REPLACEMENT_POLICY	NUMBER(10)	

GradeScaleItem

- Was used to associate Grade Scale Items to Standards
- Renamed

GradeScaleItem_Backup

GRADESCALEITEM (OLD TABLE DEFINITION)			
DCID	NUMBER(10)		
ID	NUMBER(10)		
GRADESCALEID	NUMBER(10)		
NAME	VARCHAR2(50)		
DESCRIPTION	CLOB		
COUNTSINGPA	NUMBER(10)		
GRADUATIONCREDIT	NUMBER(10)		
TEACHERSCALE	NUMBER(10)		
CUTOFFPERCENTAGE	FLOAT(126)		
POWERLINK	VARCHAR2(40)		
POWERLINKSPANISH	VARCHAR2(40)		
GRADE_POINTS	FLOAT(126)		
VALUE	FLOAT(126)		
ADDEDVALUE	NUMBER(10)		
MODIFY_CODE	NUMBER(10)		
EXCLUDEFROMAFG	NUMBER(10)		
ALT_GRADE_POINTS	FLOAT(126)		
CUTOFFPOINTS	FLOAT(126)		
PSGUID	VARCHAR2(50)		
GRADE_REPLACEMENT_POLICY	NUMBER(10)		

Previous fields migrated

	GRADESCALEITEM (NEW TABLE DEFINITION)				
	DCID	NUMBER(10)			
	ID	NUMBER(10)			
\forall	GRADESCALEID	NUMBER(10)			
	NAME	VARCHAR2(50)			
	DESCRIPTION	VARCHAR2(4000)			
	GRADESCALETYPE	VARCHAR2(30)			
	ISFORCOURSEGRADE	NUMBER(1)			
	ISFORSTANDARDS	NUMBER(1)			
	ISGPASHOWN	NUMBER(1)			
	COUNTSINGPA	NUMBER(10)			
	DISPLAYPOSITION	NUMBER(6)			
	GRADE_POINTS	FLOAT(126)			
	ADDEDVALUE	NUMBER(10)			
	GRADUATIONCREDIT	NUMBER(10)			
	TEACHERSCALE	NUMBER(10)			
	CUTOFFPERCENTAGE	FLOAT(126)			
	VALUE	FLOAT(126)			
	COLORLEVELS	NUMBER(6)			
	COLOR	VARCHAR2(30)			
	ISPROFICIENT	NUMBER(1)			
	ISSCORECODEONASSIGNMENTS	NUMBER(1)			
	MODIFY_CODE	NUMBER(10)			
	NUMERICMIN	NUMBER(10)			
	NUMERICMAX	NUMBER(10)			
	NUMERICEXTRAS	VARCHAR2(30)			
	NUMERICDECIMALS	NUMBER(10)			
	NUMERICCUTOFF	NUMBER(18,6)			
	NUMERICVALUE	NUMBER(18,6)			
	CONVERSIONTONUMERIC	VARCHAR2(30)			
	HASSPECIALGRADES	NUMBER(1)			
	SPECIALGRADESCALEDCID	NUMBER(10)			
	HASRELATEDSCALES	NUMBER(1)			
	ALTCONVERTGRADESCALEDCID	NUMBER(10)			
	ALTFINALNUMERICCUTOFF	NUMBER(18,6)			
	ALTFINALNUMERICRANGE	VARCHAR2(30)			
	ISTERMWEIGHTINGSHOWN	NUMBER(1)			
	ALT_GRADE_POINTS	FLOAT(126)			
	CUTOFFPOINTS	FLOAT(126)			
⊀	EXCLUDEFROMAFG	NUMBER(10)			
	PSGUID	VARCHAR2(50)			
	GRADE_REPLACEMENT_POLICY	NUMBER(10)			
	WHOCREATED	VARCHAR2(100)			
	WHENCREATED	TIMESTAMP(6)			
	WHOMODIFIED	VARCHAR2(100)			
	WHENMODIFIED	TIMESTAMP(6)			



DCID	NUMBER(10)
ID	NUMBER(10)
GRADESCALEID	NUMBER(10)
NAME	VARCHAR2(50)
DESCRIPTION	CLOB
COUNTSINGPA	NUMBER(10)
GRADUATIONCREDIT	NUMBER(10)
TEACHERSCALE	NUMBER(10)
CUTOFFPERCENTAGE	FLOAT(126)
POWERLINK	VARCHAR2(40)
POWERLINKSPANISH	VARCHAR2(40)
GRADE_POINTS	FLOAT(126)
VALUE	FLOAT(126)
ADDEDVALUE	NUMBER(10)
MODIFY_CODE	NUMBER(10)
EXCLUDEFROMAFG	NUMBER(10)
ALT_GRADE_POINTS	FLOAT(126)
CUTOFFPOINTS	FLOAT(126)
PSGUID	VARCHAR2(50)
GRADE REPLACEMENT POLICY	NUMBER(10)

- Previous fields migrated
- Adds new fields for future functionality

GRADESCALEITEM (NEW TABLE DEFINIT	ION)	
DCID	NUMBER(10)	
ID	NUMBER(10)	
GRADESCALEID	NUMBER(10)	
NAME	VARCHAR2(50)	
DESCRIPTION	VARCHAR2(4000)	
GRADESCALETYPE	VARCHAR2(30)	
ISFORCOURSEGRADE	NUMBER(1)	
ISFORSTANDARDS	NUMBER(1)	
ISGPASHOWN	NUMBER(1)	
COUNTSINGPA	NUMBER(10)	
DISPLAYPOSITION	NUMBER(6)	
GRADE POINTS	FLOAT(126)	
ADDEDVALUE	NUMBER(10)	
GRADUATIONCREDIT	NUMBER(10)	
TEACHERSCALE	NUMBER(10)	
CUTOFFPERCENTAGE	FLOAT(126)	
VALUE	FLOAT(126)	
COLORLEVELS	NUMBER(6)	
COLOR	VARCHAR2(30)	
ISPROFICIENT	NUMBER(1)	
ISSCORECODEONASSIGNMENTS	NUMBER(1)	
MODIFY_CODE	NUMBER(10)	
NUMERICMIN	NUMBER(10)	
NUMERICMAX	NUMBER(10)	
NUMERICEXTRAS	VARCHAR2(30)	
NUMERICDECIMALS	NUMBER(10)	
NUMERICCUTOFF	NUMBER(18,6)	
NUMERICVALUE	NUMBER(18,6)	
CONVERSIONTONUMERIC	VARCHAR2(30)	
HASSPECIALGRADES	NUMBER(1)	
SPECIALGRADESCALEDCID	NUMBER(10)	
HASRELATEDSCALES	NUMBER(1)	
ALTCONVERTGRADESCALEDCID	NUMBER(10)	
ALTFINALNUMERICCUTOFF	NUMBER(18,6)	
ALTFINALNUMERICRANGE	VARCHAR2(30)	
ISTERMWEIGHTINGSHOWN	NUMBER(1)	
ALT_GRADE_POINTS	FLOAT(126)	
CUTOFFPOINTS	FLOAT(126)	
EXCLUDEFROMAFG	NUMBER(10)	
PSGUID	VARCHAR2(50)	
GRADE REPLACEMENT POLICY	NUMBER(10)	
WHOCREATED	VARCHAR2(100)	
WHENCREATED	TIMESTAMP(6)	
WHOMODIFIED	VARCHAR2(100)	
WHENMODIFIED	TIMESTAMP(6)	
	1-1	

Old Table Definition

STANDARDSGRADES (OLD TABLE, BECOMES VIEW)			
DCID	NUMBER(10)		
ID	NUMBER(10)		
STANDARDSID	NUMBER(10)		
STUDENTID	NUMBER(10)		
YEARID	NUMBER(10)		
SCHOOLID	NUMBER(10)		
SCHOOLNAME	VARCHAR2(31)		
STORECODE	VARCHAR2(10)		
DATESTORED	DATE		
NUMSCORES	NUMBER(10)		
AVERAGESCORE	FLOAT(126)		
TRANSAVERAGESCORE	VARCHAR2(50)		
HIGHSCORE	FLOAT(126)		
TRANSHIGHSCORE	VARCHAR2(40)		
COMMENT_VALUE	CLOB		
LOG	CLOB		
GRADE_LEVEL	NUMBER(10)		
ISMIGRATED	NUMBER(1)		
MIGRATIONFAILUREREASON	VARCHAR2(200)		

StandardsGrades

- Legacy standards grade data
- Renamed

 StandardsGrades Backup
- Can still be accessed as a view
- Split into 4 NEW tables
 - StandardGradeSection
 - StandardGradeSectionComment
 - StandardGradeRollup
 - StandardGradeRollupComment



Old Table Definition

STANDARDSGRADES (OLD TABLE, BECOMES VIEW)			
DCID	NUMBER(10)		
ID	NUMBER(10)		
STANDARDSID	NUMBER(10)		
STUDENTID	NUMBER(10)		
YEARID	NUMBER(10)		
SCHOOLID	NUMBER(10)		
SCHOOLNAME	VARCHAR2(31)		
STORECODE	VARCHAR2(10)		
DATESTORED	DATE		
NUMSCORES	NUMBER(10)		
AVERAGESCORE	FLOAT(126)		
TRANSAVERAGESCORE	VARCHAR2(50)		
HIGHSCORE	FLOAT(126)		
TRANSHIGHSCORE	VARCHAR2(40)		
COMMENT_VALUE	CLOB		
LOG	CLOB		
GRADE_LEVEL NUMBER(10) ISMIGRATED NUMBER(1)			
		MIGRATIONFAILUREREASON	VARCHAR2(200)

	STANDARDGRADESECT	ION (TABLE 1	of 4 Migrated From ST	ANDARDSGRADES	
	STANDARDGRADESECTI	ONID	NUMBER(16)		
YEARID			NUMBER(10)		
	STUDENTSDCID		NUMBER(10)		
	STANDARDID		NUMBER(10)		
	STORECODE		VARCHAR2(10)		
	SECTIONSDCID		NUMBER(10)		
	ECTIONCOMMENT (Ta		_	IDARDSGRADES	
	ECTIONCOMMENTID	NUMBER			
STANDARDGRADESI	ECTIONID	NUMBER			
YEARID		NUMBER	(10)		
STUDENTSDCID		NUMBER	(10)		
GRADELEVEL		NUMBER			
COMMENTVALUE	STANDARDGRADEROLLUF			DSGRADES)	
WHOCREATED	STANDARDGRADEROLLUP	ID	NUMBER(16)		
WHENCREATED	YEARID		NUMBER(10)		
WHOMODIFIED	STUDENTSDCID		NUMBER(10)		
WHENMODIFIED	STANDARDID STORECODE		` '	NUMBER(10) VARCHAR2(10)	
			, ,		
	SCHOOLSDCID		NUMBER(10)		
	SCHOOLNAME STANDARDNAME ISENROLLED ISADMINMODIFIED ISLOCKED LASTUPDATED		VARCHAR2(60)	. ,	
			VARCHAR2(400)		
			NUMBER(1)	NUMBER(1) NUMBER(1)	
			, ,		
			* '		
			TIMESTAMP(6)		
	NUMSCORES		NUMBER(10)		
	OLLUPCOMMENT (TAB	·	_	ARDSGRADES)	
STANDARDGRADERO		NUMBER(1	•		
STANDARDGRADERO	LLUPID	NUMBER(1	•		
YEARID STUDENTSDCID GRADELEVEL COMMENTVALUE		NUMBER(1	.0)		
		NUMBER(1	.0)		
		NUMBER(1	.0)		
		CLOB			
WHOCREATED		VARCHAR2	(100)		
WHENCREATED		TIMESTAM			
WHOMODIFIED		VARCHAR2	• •		
WHENMODIFIED		TIMESTAM			
WITEIWIODIFIED		LIMITSIMIN	· (°)		

4 NEW Tables



STANDARDGRADESECTION (TABLE 1 of 4 Migrated From STANDARDSGRADES)				
STANDARDGRADESECTIONID	NUMBER(16)			
YEARID	NUMBER(10)			
STUDENTSDCID	NUMBER(10)			
STANDARDID	NUMBER(10)			
STORECODE	VARCHAR2(10)			
SECTIONSDCID	NUMBER(10)			
SCHOOLSDCID	NUMBER(10)			
SCHOOLNAME	VARCHAR2(60)			
COURSENAME	VARCHAR2(40)			
STANDARDNAME	VARCHAR2(400)			
GRADELEVEL	NUMBER(10)			
LASTUPDATED	TIMESTAMP(6)			
ISENROLLED	NUMBER(1)			
ISADMINMODIFIED	NUMBER(1)			
ISLOCKED	NUMBER(1)			
ISMIGRATED	NUMBER(1)			
STANDARDPERCENT	FLOAT(126)			
STANDARDGRADE	VARCHAR2(50)			
WHOCREATED	VARCHAR2(100)			
WHENCREATED	TIMESTAMP(6)			
WHOMODIFIED	VARCHAR2(100)			
WHENMODIFIED	TIMESTAMP(6)			

StandardGradeSection

- Student standards Final Grades
- Based on
 - Student (StudentDCID)
 - o Year (YearID; i.e., <u>25</u>01)
 - Reporting Term(YearID; i.e., 25<u>01</u>)
 - Standard (StandardID)
 - School (SchoolsDCID)
 - Section (SectionsDCID)

STANDARDGRADESECTIONCOMMENT (Table 2 of 4 Migrated From STANDARDSGRADES			
STANDARDGRADESECTIONCOMMENTID	NUMBER(16)		
STANDARDGRADESECTIONID	NUMBER(16)		
YEARID	NUMBER(10)		
STUDENTSDCID	NUMBER(10)		
GRADELEVEL	NUMBER(10)		
COMMENTVALUE	VARCHAR2(4000)		
WHOCREATED	VARCHAR2(100)		
WHENCREATED	TIMESTAMP(6)		
WHOMODIFIED	VARCHAR2(100)		
WHENMODIFIED	TIMESTAMP(6)		

StandardGradeSectionComment

- Stores the comments for student's standards Final Grades
- Based on
 - Student (StudentDCID)
 - o Standard Final Grade (StandardGradeSection)



STANDARDGRADEROLLUP (Table 3 of 4 Migrated From STANDARDSGRADES)		
STANDARDGRADEROLLUPID	NUMBER(16)	
YEARID	NUMBER(10)	
STUDENTSDCID	NUMBER(10)	
STANDARDID	NUMBER(10)	
STORECODE	VARCHAR2(10)	
SCHOOLSDCID	NUMBER(10)	
SCHOOLNAME	VARCHAR2(60)	
STANDARDNAME	VARCHAR2(400)	
ISENROLLED	NUMBER(1)	
ISADMINMODIFIED	NUMBER(1)	
ISLOCKED	NUMBER(1)	
LASTUPDATED	TIMESTAMP(6)	
NUMSCORES	NUMBER(10)	
STANDARDAVERAGEPERCENT	FLOAT(126)	
STANDARDAVERAGEGRADE	VARCHAR2(50)	
STANDARDHIGHPERCENT	FLOAT(126)	
STANDARDHIGHGRADE	VARCHAR2(40)	
GRADELEVEL	NUMBER(10)	
WHOCREATED	VARCHAR2(100)	
WHENCREATED	TIMESTAMP(6)	
WHOMODIFIED	VARCHAR2(100)	
WHENMODIFIED	TIMESTAMP(6)	

StandardGradeRollup

- Rollup records for standard grades
- Calculated if student has been assessed the same standard
 - In multiple sections
 - Same year
 - Same StoreCode
- Based on
 - Student (StudentDCID)
 - Standard (StandardID)
 - Store Code (StoreCode)
 - > Year (YearID; i.e., 2500)

STANDARDGRADEROLLUPCOMMENT (TABLE 4 of 4 Migrated From STANDARDSGRADES)				
STANDARDGRADEROLLUPCOMMENTID	NUMBER(16)			
STANDARDGRADEROLLUPID	NUMBER(16)			
YEARID	NUMBER(10)			
STUDENTSDCID	NUMBER(10)			
GRADELEVEL	NUMBER(10)			
COMMENTVALUE	CLOB			
WHOCREATED	VARCHAR2(100)			
WHENCREATED	TIMESTAMP(6)			
WHOMODIFIED	VARCHAR2(100)			
WHENMODIFIED	TIMESTAMP(6)			

StandardGradeRollupComment

- Stores comments given to a student regarding standard grade rollup
- Based on
 - Student (StudentDCID)
 - o Grade Level (GradeLevel)
 - Standard Grade Rollup (StandardGradeRollupID)



NEW TABLE (with 9.0.0) StandardCourseAssoc

This table is used to associate a standard to a course in a specific year. When the End of Year (EOY) process is run, a new set of standard course associations are created to retain the history of standards course associations for previous years. This association record also contains several grade calculation settings pertinent to a particular standard, course, year association such as calculation weight for final course grades, and whether the standard is calculated automatically by lower level standards.

Column Name	Data Type	Description	
CoursesDCID (ver9.0.0)	Number(10,0)	Foreign Key. An internal identifier, DCID, of the associated course record. Indexed. Required.	
IsActive (ver9.0.0)	Number(1,0)	1 indicates the standard is available for teachers to enter in standards grades. Valid values: 0 = False, 1 = True. Defaults to 1. Required.	
IsCalcByLowerStandard (ver9.0.0)	Number(1,0)	Indicates whether the higher level standard is calculated by the lower level standards. Valid values: 0 = No, 1 = Yes. Defaults to 0. Required.	
IsPrimary (ver9.0.0)	Number(1,0)	Indicates whether this standard is a primary standard for a course. In PowerSchool 9.x, all standards assigned to courses are considered primary. Valid values: 0 = No, 1 = Yes. Defaults to 1. Required.	
StandardCourseAssocID (ver9.0.0)	Number(16,0)	Primary Key. Unique sequential number generated by the application. Indexed. Required.	
StandardID (ver9.0.0)	Number(10,0)	Foreign Key. An internal identifier, of the associated Standard record. Indexed. Required.	
Weight (ver9.0.0)	Number(6,0)	Defines the numerical weight associated with the standard.	
WhenCreated (ver9.0.0)	Timestamp(6)	Date and time the record was created. Defaults to system date. Required.	
WhenModified (ver9.0.0)	Timestamp(6)	Date and time the record was modified. Defaults to system date. Required.	
WhoCreated (ver9.0.0)	Varchar2(100)	The user login that created the record. Defaults to database user. Required.	
WhoModified (ver9.0.0)	Varchar2(100)	The user login that modified the record. Defaults to database user. Required.	



NEW TABLE (with 9.0.0) StandardCourseAssoc

- Allows cataloging of Standards
 - o Associates a standard to a course in a specific year
 - Similar to way Course Catalog works
- Allows grade calculations for standards settings
 - o Course, year associations
 - Calculation Weight for final course grades
 - o Allows automatic calculation by lower level standards



NEW TABLE (with 9.0.0) StandardCourseAssoc

- End of Year (EOY) Process
 - Creates new standards course associations for previous years
 - o Retains old association history for previous years
- Based on
 - Standard (StandardID)
 - Course (CoursesDCID)



- Data Dictionary Tables, KBA 74826
 - ✓ https://support.powerschool.com/article/74826

```
      SPEnrollments, 41 (ver3.6.1)
      304

      Standard (ver9.0.0)
      304

      StandardCourseAssoc (ver9.0.0)
      305

      StandardGradeRollup (ver9.0.0)
      306

      StandardGradeRollupComment (ver9.0.0)
      307

      StandardGradeSection (ver9.0.0)
      308

      StandardGradeSectionComment (ver9.0.0)
      309

      Standards_Migration_Backup, 53 (ver3.6.1)
      310

      StandardsCurrent, 98 (ver3.6.1)
      311

      StandardsGrades_Backup, 99 (ver3.6.1)
      311

      StandardsGrades_Backup, 99 (ver3.6.1)
      312
```

- Data Dictionary SIS Views, KBA 74824
 - ✓ https://support.powerschool.com/article/74824

```
      PVSIS_Custom_ReEnrollments (ver5.1.0)
      41

      PVSIS_Custom_SchoolFee (ver5.1.0)
      41

      PVSIS_Custom_Schools (ver5.1.0)
      42

      PVSIS_Custom_Sections (ver5.1.0)
      43

      PVSIS_Custom_SPEnrollments (ver5.1.0)
      43

      PVSIS_Custom_Students (ver5.1.0)
      44

      PVSIS_Custom_Teachers (ver5.1.0)
      45

      Standards [SIS View] (ver9.0.0)
      45

      SIS Views Notes
      46
```

- Data Dictionary Reporting Views, KBA 74825
 - ✓ https://support.powerschool.com/article/74825

PSRW_ParticipantBehActDur (ver6.1.0)	
PSRW_ParticipantBehavior (ver6.1.0)	
PSRW_ParticipantBehaviorAction (ver6.1.0)	71
PSRW_ReportCard_ChangeHistory (ver7.0.0)	
PSRW_ReportCard_HonorRoll (ver7.0.0)	
PSRW_ReportCard_TermBins (ver7.0.0)	
PSRW_SchoolEnrollment (ver7.0.0)	
PSRW_StandardGrade (ver7.0.0)	
PSRW_StandardHierarchy (ver7.0.0)	
PSRW_Student_Race (ver6.2.0)	
PSRW_TestScores (ver7.0.0)	

- Data Dictionary Tables, KBA 74826
 - ✓ https://support.powerschool.com/article/74826
- Data Dictionary SIS Views, KBA 74824
 - ✓ https://support.powerschool.com/article/74824
- Data Dictionary Reporting Views, KBA 74825
 - ✓ https://support.powerschool.com/article/74825

